



FC/1/1 LOT#K26176 FERRIC CHLORIDE 3.8 MOLAL-1 OUNCE

Certificate Of Analysis

Description: FERRIC CHLORIDE 3.8 MOLAL-1 OUNCE
Part Number: FC/1/1
Lot Number: K26176
Manufactured Date: 12-Jan-2026
Expiration Date: 31-Jan-2029

Test	Specifications	Results
Assay by Titration - QAL-066	12.24-14.96%	13.07%
Odor - QAL-062	ODORLESS	ODORLESS
Identification: Color - QAL-062	BROWN	BROWN
Identification: Appearance - QAL-062	LIQUID FREE OF ANY VISIBLE LUMPS OR SEDIMENT	LIQUID FREE OF ANY VISIBLE LUMPS OR SEDIMENT
Capping - QAL-031	CONFORM	PASS
Label Inspection - QAL-031	CONFORM	PASS
Verify Labels - QAL-031	CONFORM	PASS

Approved By: Lorenzo Morales
Date: 16-Jan-2026 02:52:37 PM

This Certificate of Analysis has been approved electronically by Quality. No signature is required.

Delasco, LLC
4001 E Plano PKWY STE 100, Plano, TX 75074
Voice: (800) 831-6273 or (712) 323-3269
Fax: (800) 320-9612 or (712) 323-1156
Web: www.delasco.com
Email: questions@delasco.com