



FC/2 LOT#K267D9 FERRIC CHLORIDE - 2OZ

Certificate Of Analysis

Description: FERRIC CHLORIDE 3.8 MOLAR -2OZ
Part Number: FC/2
Lot Number: K267D9
Mfg Date: 07/16/2026
Expiration Date: 07/16/2029

Test	Specifications	Results
Verify Labels - QAL-031	CONFORM	CONFORM
Label Inspection - QAL-031	CONFORM	CONFORM
Capping - QAL-031	CONFORM	CONFORM
Assay by Titration - QAL-066	19.17-23.43%	21.05%
Odor - QAL-062	ODORLESS	ODORLESS
Identification: Color - QAL-062	BROWN	BROWN
Identification: Appearance - QAL-062	LIQUID, FREE OF ANY VISIBLE LUMPS OR SEDIMENT	LIQUID, FREE OF ANY VISIBLE LUMPS OR SEDIMENT

Approved By: Lorenzo Morales
Date: 21-Jul-2026 11:10:16 AM

This Certificate of Analysis has been approved electronically by Quality. No signature is required.

Delasco, LLC
4001 E Plano PKWY STE 100, Plano, TX 75074
Voice: (800) 831-6273 or (712) 323-3269
Fax: (800) 320-9612 or (712) 323-1156
Web: www.delasco.com
Email: questions@delasco.com